



BENTLEY
Cookies used on Bentley Motors digital platforms.
V1.2 01/07/2019

Partner name	Category	What their cookies are used for	Where
Aggregate Knowledge	Beacon	Provide media intelligence about visitors	BM.com, Preowned, Upgrades
AppNexus	Advertising	Ad tech platform for campaigns	BM.com, Collections, Preowned
Atlas	Advertising	Ad serving	Collections
Baidu Ads	Advertising	Ad platform	China
DoubleClick	Advertising, Audience Targeting	Ad platform	BM.com, Collections, Preowned, Russia, www.extraordinaryjourneys.bentley
DoubleClick Floodlight	Beacons, Tag Manager, Analytics, Audience Targeting	Conversion tracking	BM.com, www.extraordinaryjourneys.bentley
Drawbridge	Advertising	Cross-device tracking	Collections
Facebook Connect	Social	Facebook connection	Preowned, www.extraordinaryjourneys.bentley
Facebook Custom Audiences	Advertising, Audience Targeting	Facebook targeting	Preowned, www.extraordinaryjourneys.bentley
Google Adwords Conversion Pixel	Advertising, Audience Targeting	Conversion tracking	BM.com, Preowned, Upgrades
Google Analytics	Analytics	General analytics	BM.com, Collections, China, Russia, Preowned, Upgrades, Heritage, www.extraordinaryjourneys.bentley
Google Dynamic Remarketing	Advertising	Advertising	BM.com, Preowned, Upgrades
Google Tag Manager	Tag Manager	General analytics	BM.com, Collections, Russia, Preowned, Upgrades, Heritage, China, www.extraordinaryjourneys.bentley
Hotjar	Analytics	General analytics	Upgrades
LinkedIn Insight Tag	Analytics	General analytics	BM.com, www.extraordinaryjourneys.bentley
LiveRamp	Beacon, E-mail Analysis, Segment Data	Offline customer data connection	Collections
Netmining	Beacon	Audience targeting	BM.com
Neustar AdAdvisor	Beacon, Lead Management	Audience targeting	Collections
New Relic	Analytics	Web Performance	Russia, China, Preowned, Upgrades
Psyma	Beacon	Customer surveys	China
Rocket Fuel	Beacon	Programmatic Platform	Collections
ScoreCard Research Beacon	Beacon, Analytics	Customer surveys	Collections
ShareThis	Widget	To share articles across social networks or by e-mail	Collections
SkyGlue	Analytics	General analytics	Collections
Twitter Universal Pixel	Beacon, Advertising	Audience targeting	BM.com, www.extraordinaryjourneys.bentley
Instagram Pixel	Analytics, Advertising	Audience targeting	BM.com, www.extraordinaryjourneys.bentley, UK Finance
Snapchat Pixel	Analytics, Advertising	Audience targeting	BM.com, www.extraordinaryjourneys.bentley, UK Finance

Regional landing pages			
UAE	Cookie	Expires	WHAT DOES IT DO
Landing Page	__ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - __gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance

Bentley Cardiff			
	Cookie	Expires	WHAT DOES IT DO
Homepage	__ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - __gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utmz	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
Pre-Owned search	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Models	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Current Models	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance

Model Overview	._ga	Session based cookie	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
Finance Options	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	._utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	._utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the ._utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	._utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the ._utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the ._utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the ._utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Pre-Owned Programme	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	._utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	._utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the ._utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	._utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the ._utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the ._utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the ._utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Pre-owned/Model Overview	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance

	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Parts	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	At end of session	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	At end of session	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Service and Repair	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
4+ Service Programme	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance

	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Heritage Support	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._gads	20 months	Its purpose is to do with the showing of adverts on the site, for which the owner may earn some revenue. Measuring interactions with the ads on that domain and preventing the same ads from being shown to you too many times.
	JSESSIONID	Session based cookie	Unique ID to maintain session info with server.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Aftersales Offers	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Roadside Assistance	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Collection	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Accessories	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance

	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Upgrade Packs By Bentley	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley New Accessories	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Featured Accessories	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Interior Accessories	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__utma	2 Years	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
Bentley Exterior Accessories	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance

	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Alloy Wheels	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Cardiff / Introduction	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance

Our team	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
How to Find us	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Opening Hours	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance

	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Latest News	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Events	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance

Offers	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Offer page	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
News page	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Event Page	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley General Enquiry	__unam	4 Months	This cookie is usually associated with the ShareThis social sharing widget placed in a site to enable sharing of content across various social networks. It counts clicks and shares of a page. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmz	5 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	s_fid	6 Months	This cookie name is associated with the analytics service provided by Adobe's Site Catalyst product suite. It is a new cookie introduced in 2013 as a 'fallback' visitor identifier where the s_vi cookie normally used for this purpose is blocked. It contains a randomly generated, unique id. The main purpose of this cookie is: Performance
	s_lv	2.5 Years	This cookie name is associated with Adobe Analytics (formerly Site Catalyst). It is used to identify the time (in days) between two visits by the same visitor (identified by an id number). The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance

	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Request a Service	__unam	4 Months	This cookie is usually associated with the ShareThis social sharing widget placed in a site to enable sharing of content across various social networks. It counts clicks and shares of a page. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmz	5 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	s_fid	2.5 Years	This cookie name is associated with the analytics service provided by Adobe's Site Catalyst product suite. It is a new cookie introduced in 2013 as a 'fallback' visitor identifier where the s_vi cookie normally used for this purpose is blocked. It contains a randomly generated, unique id. The main purpose of this cookie is: Performance
	s_lv	3 Years	This cookie name is associated with Adobe Analytics (formerly Site Catalyst). It is used to identify the time (in days) between two visits by the same visitor (identified by an id number). The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Legal	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance

	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Model Page	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_2	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_3	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
REGIONAL SITES	COOKIES	Expires	WHAT DOES IT DO
China			
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
Model Page	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance

	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
About Bentley	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Be Extraordinary	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Motorsports	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance

	__utmb	Fri, 22 Jul 2016 15:43:23 GMT	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Le Mans	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpvT_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Mulliner History	_ga	Thu, 19 Jul 2018 17:59:23 GMT	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpvT_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Distinguished Heritage	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance

	_gads	20 months	Its purpose is to do with the showing of adverts on the site, for which the owner may earn some revenue. Measuring interactions with the ads on that domain and preventing the same ads from being shown to you too many times.
	JSESSIONID	Session based cookie	Unique ID to maintain session info with server.
	Hm_lpvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
An Extraordinary Perspective	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Latest News	_ga	Thu, 19 Jul 2018 17:59:23 GMT	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance

	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
News Page	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Event Page	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Event single page	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa

	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Mobile Apps	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Introducing the Bentley Collection	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance

Service, Maintenance & Repair	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	._utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	._utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	._utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Finance	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	._utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	._utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	._utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
accessories	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	._utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance

	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Roadside Assistance	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
locate a dealer	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Sitemap	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.

	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
weixin	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Flying Spur	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utzm	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Performance	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utzm	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Technology	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utzm	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Exterior Design	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance

	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Everyday Practicality	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Detailed Specification	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessa
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Visualiser	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance

	_gat	Session based cookie	This cookie name is associated with Google Universal Analytics, according to documentation it is used to throttle the request rate - limiting the collection of data on high traffic sites. It expires after 10 minutes. The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
New Car Enquiries	__unam	4 Months	This cookie is usually associated with the ShareThis social sharing widget placed in a site to enable sharing of content across various social networks. It counts clicks and shares of a page. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmz	5 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	s_fid	1.5 Years	This cookie name is associated with the analytics service provided by Adobe's Site Catalyst product suite. It is a new cookie introduced in 2013 as a 'fallback' visitor identifier where the s_vi cookie normally used for this purpose is blocked. It contains a randomly generated, unique id. The main purpose of this cookie is: Performance
	s_lv	2.5 Years	This cookie name is associated with Adobe Analytics (formerly Site Catalyst). It is used to identify the time (in days) between two visits by the same visitor (identified by an id number). The main purpose of this cookie is: Performance
	Hm_lpv1_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Contact us	__unam	4 Months	This cookie is usually associated with the ShareThis social sharing widget placed in a site to enable sharing of content across various social networks. It counts clicks and shares of a page. The main purpose of this cookie is: Functionality

	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmz	5 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	s_fid	1.5 Years	This cookie name is associated with the analytics service provided by Adobe's Site Catalyst product suite. It is a new cookie introduced in 2013 as a 'fallback' visitor identifier where the s_vi cookie normally used for this purpose is blocked. It contains a randomly generated, unique id. The main purpose of this cookie is: Performance
	s_lv	2.5 Years	This cookie name is associated with Adobe Analytics (formerly Site Catalyst). It is used to identify the time (in days) between two visits by the same visitor (identified by an id number). The main purpose of this cookie is: Performance
	Hm_lpvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	Hm_lvt_1c414f9c2423b70416ecb1c8a6a1d065	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Russia			
Homepage	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Flying spurs	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance

	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
PERFORMANCE	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Technology	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
EXTERIOR DESIGN	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance

	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
INTERIOR CRAFTSMANSHIP	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
EVERYDAY PRACTICALITY	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Detailed Specification	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance

	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
visualiser	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._gat	Session based cookie	This cookie name is associated with Google Universal Analytics, according to documentation it is used to throttle the request rate - limiting the collection of data on high traffic sites. It expires after 10 minutes. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
About Bentley	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._gat	Session based cookie	This cookie name is associated with Google Universal Analytics, according to documentation it is used to throttle the request rate - limiting the collection of data on high traffic sites. It expires after 10 minutes. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance

A JOURNEY OF POWERFUL LUXURY	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._gat	Session based cookie	This cookie name is associated with Google Universal Analytics, according to documentation it is used to throttle the request rate - limiting the collection of data on high traffic sites. It expires after 10 minutes. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	._utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	._utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the .utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	._utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the .utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Be Extraordinary	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	._utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	._utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the .utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	._utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the .utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
WELCOME TO THE HOME OF BENTLEY MOTORS	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	._utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	._utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the .utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	._utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the .utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
CUSTOMER TOURS	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
MOTORSPORT	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Technical Overview	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Motorsport News and Resources	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Life is a Grand Tour	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
The Bentley Room at Mosimann's	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
The Bentley Suite at the St. Regis New York	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Take a seat in style at Pankhurst	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Motors and GQ Partnership	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Clubs & Associations	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
An Extraordinary Perspective	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
News Page	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Introducing the new Bentley Suite at The St. Regis Dubai/ news page	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Mobile Apps from Bentley	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Bentley Collection	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance

	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Service, Maintenance & Repair	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Heritage Support	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__gads	20 months	Its purpose is to do with the showing of adverts on the site, for which the owner may earn some revenue. Measuring interactions with the ads on that domain and preventing the same ads from being shown to you too many times
	JSESSIONID	Session based cookie	Unique ID to maintain session info with server.
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Accessories	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance

	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Financial Services	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
locate-a-dealer	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Sitemap	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance

	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
Privacy policy	__unam	4 Months	This cookie is usually associated with the ShareThis social sharing widget placed in a site to enable sharing of content across various social networks. It counts clicks and shares of a page. The main purpose of this cookie is: Functionali
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmz	5 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	s_fid	1.5 Years	This cookie name is associated with the analytics service provided by Adobe's Site Catalyst product suite. It is a new cookie introduced in 2013 as a 'fallback' visitor identifier where the s_vi cookie normally used for this purpose is blocked. It contains a randomly generated, unique id. The main purpose of this cookie is: Performance
	s_lv	2.5 Years	This cookie name is associated with Adobe Analytics (formerly Site Catalyst). It is used to identify the time (in days) between two visits by the same visitor (identified by an id number). The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
POSL China	COOKIES	Expires	WHAT DOES IT DO
Home Page	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Search results	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	_dc_gtm_UA-1474588-25	Session based cookie	This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account. The main purpose of this cookie is: Strictly Necessary

	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__atuvs	Session based cookie	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. This is believed to be a new cookie from AddThis which is not yet documented, but has been categorised on the assumption it serves a similar purpose to other cookies set by the service. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
	lcCookie	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
vehicles details	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Enquiries form	__unam	4 Months	This cookie is usually associated with the ShareThis social sharing widget placed in a site to enable sharing of content across various social networks. It counts clicks and shares of a page. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmz	5 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance

	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	s_fid	1.5 Years	This cookie name is associated with the analytics service provided by Adobe's Site Catalyst product suite. It is a new cookie introduced in 2013 as a 'fallback' visitor identifier where the s_vi cookie normally used for this purpose is blocked. It contains a randomly generated, unique id. The main purpose of this cookie is: Performance
	s_lv	2.5 Years	This cookie name is associated with Adobe Analytics (formerly Site Catalyst). It is used to identify the time (in days) between two visits by the same visitor (identified by an id number). The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Email to friends	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Compare to page	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality

	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Short list	__ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - __gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - __gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
POSL	COOKIES	Expires	WHAT DOES IT DO
Home Page	__unam	8 Months	This cookie is usually associated with the ShareThis social sharing widget placed in a site to enable sharing of content across various social networks. It counts clicks and shares of a page. The main purpose of this cookie is: Functionality
	__ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - __gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	cc_cookie_accept	5 Years	CookieCutr plugin - to display cookie pop up bar when relevant
	__dc_gtm_UA-1474588-25	Session based cookie	This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account. The main purpose of this cookie is: Strictly Necessary
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	__atuvc	Session based cookie	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.

	lcCookie	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum
Search Listings Page	_dc_gtm_UA-1474588-25	Session based cookie	This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account. The main purpose of this cookie is: Strictly Necessary
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__atuvs	Session based cookie	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. This is believed to be a new cookie from AddThis which is not yet documented, but has been categorised on the assumption it serves a similar purpose to other cookies set by the service. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
	lcCookie	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum
Vehicle details page	_dc_gtm_UA-1474588-25	Session based cookie	This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account. The main purpose of this cookie is: Strictly Necessary
	_ga	Session based cookie	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__atuvs	Session based cookie	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. This is believed to be a new cookie from AddThis which is not yet documented, but has been categorised on the assumption it serves a similar purpose to other cookies set by the service. The main purpose of this cookie is: Functionality
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Email to Friend	_dc_gtm_UA-1474588-25	Session based cookie	This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account. The main purpose of this cookie is: Strictly Necessary

	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._dc_gtm_UA-1474588-25	Session based cookie	This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account. The main purpose of this cookie is: Strictly Necessary
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	.ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	.ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	._atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	._atuvs	Session based cookie	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. This is believed to be a new cookie from AddThis which is not yet documented, but has been categorised on the assumption it serves a similar purpose to other cookies set by the service. The main purpose of this cookie is: Functionality
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	._utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	._utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the _utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	._utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the _utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	._utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	.bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
	.icCookie	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
Enquires form	._unam	4 Months	This cookie is usually associated with the ShareThis social sharing widget placed in a site to enable sharing of content across various social networks. It counts clicks and shares of a page. The main purpose of this cookie is: Functionality
	._utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	._utmz	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	.s_fid	1.5 Years	This cookie name is associated with the analytics service provided by Adobe's Site Catalyst product suite. It is a new cookie introduced in 2013 as a 'fallback' visitor identifier where the s_vi cookie normally used for this purpose is blocked. It contains a randomly generated, unique id. The main purpose of this cookie is: Performance
	.s_lv	2.5 Years	This cookie name is associated with Adobe Analytics (formerly Site Catalyst). It is used to identify the time (in days) between two visits by the same visitor (identified by an id number). The main purpose of this cookie is: Performance
	._dc_gtm_UA-1474588-25	Session based cookie	This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account. The main purpose of this cookie is: Strictly Necessary
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	._atuvs	Session based cookie	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. This is believed to be a new cookie from AddThis which is not yet documented, but has been categorised on the assumption it serves a similar purpose to other cookies set by the service. The main purpose of this cookie is: Functionality

	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
	lcCookie	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
Compare vehicles	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._dc_gtm_UA-1474588-25	Session based cookie	This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account. The main purpose of this cookie is: Strictly Necessary
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__atuvs	Session based cookie	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. This is believed to be a new cookie from AddThis which is not yet documented, but has been categorised on the assumption it serves a similar purpose to other cookies set by the service. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour measure of site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
	lcCookie	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword based discussion forum.
Shortlist	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._dc_gtm_UA-1474588-25	Session based cookie	This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account. The main purpose of this cookie is: Strictly Necessary
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance

	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__atuvs	Session based cookie	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. This is believed to be a new cookie from AddThis which is not yet documented, but has been categorised on the assumption it serves a similar purpose to other cookies set by the service. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
	lcCookie	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
POSL China			
Home Page	__ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - __gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - __gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Search results	__ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - __gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	__dc_gtm_UA-1474588-25	Session based cookie	This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account. The main purpose of this cookie is: Strictly Necessary
	__ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - __gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary

	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__atuvs	Session based cookie	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. This is believed to be a new cookie from AddThis which is not yet documented, but has been categorised on the assumption it serves a similar purpose to other cookies set by the service. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmb	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie determines new sessions and visits and expires after 30 minutes. The cookie is updated every time data is sent to Google Analytics. Any activity by a user within the 30 minute life span will count as a single visit, even if the user leaves and then returns to the site. A return after 30 minutes will count as a new visit, but a returning visitor. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmt_1	Session based cookie	This is a pattern type cookie set by Google Analytics. It appears to be a variation of the __utmt cookie which is used to limit the amount of data recorded by Google on high traffic volume websites. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
	lcCookie	Session based cookie	Baidu offers many services, including a Chinese search engine for websites, audio files and images. Baidu offers 57 search and community services including Baidu Baike (an online, collaboratively built encyclopedia) and a searchable, keyword-based discussion forum.
vehicles details	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Enquiries form	__unam	4 Months	This cookie is usually associated with the ShareThis social sharing widget placed in a site to enable sharing of content across various social networks. It counts clicks and shares of a page. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmz	5 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	s_fid	1.5 Years	This cookie name is associated with the analytics service provided by Adobe's Site Catalyst product suite. It is a new cookie introduced in 2013 as a 'fallback' visitor identifier where the s_vi cookie normally used for this purpose is blocked. It contains a randomly generated, unique id. The main purpose of this cookie is: Performance
	s_lv	2.5 Years	This cookie name is associated with Adobe Analytics (formerly Site Catalyst). It is used to identify the time (in days) between two visits by the same visitor (identified by an id number). The main purpose of this cookie is: Performance

	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	.__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	.__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	.__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Email to friends	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	.__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	.__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	.__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Compare to page	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	._ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - .gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguishes unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	.__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	.__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	.__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance

	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.
Short list	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	_ga	2 Years	This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. The new service reduces the reliance on cookies in general, and only sets this and one other - _gat, although Google also say data can be collected without setting any cookies. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports. By default it is set to expire after 2 years, although this is customisable by website owners. The main purpose of this cookie is: Performance
	ARPT	Session based cookie	This cookie name is associated with load balancing software from Cisco. It is designed to give visitors a consistent user experience on high traffic websites that use multiple servers to optimise page performance. The main purpose of this cookie is: Strictly Necessary
	ASP.NET_SessionId	Session based cookie	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. The main purpose of this cookie is: Strictly Necessary
	__atuvc	2 Years	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. The main purpose of this cookie is: Functionality
	__utma	2 Years	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie lasts for 2 years by default and distinguishes between users and sessions. It is used to calculate new and returning visitor statistics. The cookie is updated every time data is sent to Google Analytics. The lifespan of the cookie can be customised by website owners. The main purpose of this cookie is: Performance
	__utmc	Session based cookie	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. It is not used in most sites but is set to enable interoperability with the older version of Google Analytics code known as Urchin. In this older versions this was used in combination with the __utmb cookie to identify new sessions/visits for returning visitors. When used by Google Analytics this is always a Session cookie which is destroyed when the user closes their browser. Where it is seen as a Persistent cookie it is therefore likely to be a different technology setting the cookie. The main purpose of this cookie is: Performance
	__utmz	6 Months	This is one of the four main cookies set by the Google Analytics service which enables website owners to track visitor behaviour and measure site performance. This cookie identifies the source of traffic to the site - so Google Analytics can tell site owners where visitors came from when arriving on the site. The cookie has a life span of 6 months and is updated every time data is sent to Google Analytics. The main purpose of this cookie is: Performance
	bm_query_cookie	Session based cookie	This cookie tracks utm parameters through the Bentley website during a user session.